

- of social phobia. *Archives of General Psychiatry*, 50, 286–293.
- Garcia-Lopez, L. J., Olivares, J., Beidel, D., Albano, A., Turner, S., & Rosa, A. (2006). Efficacy of three treatment protocols for adolescents with social anxiety disorder: A 5-year follow-up assessment. *Journal of Anxiety Disorders*, 20, 175–191.
- Garner, D. M., Garfinkel, P. E., Schwartz, D., & Thompson, M. (1980). Cultural expectation of thinness in women. *Psychological Reports*, 47, 483–491.
- Geller, B., Cooper, T. B., Graham, G. L., Marsteller, F. A., & Bryant, D. M. (1990). Double-blind placebo-controlled study of nortriptyline in depressed adolescents using a “fixed plasma level” design. *Psychopharmacological Bulletin*, 26, 85–91.
- Gitlin, M. J., Swendsen, J., Heller, T. L., & Hammen, C. (1995). Relapse and impairment in bipolar disorder. *American Journal of Psychiatry*, 152, 1635–1640.
- Gleaves, D. H. (1996). The sociocognitive model of dissociative identity disorder: A reexamination of evidence. *Psychological Bulletin*, 120, 42–59.
- Goldfried, M. R., & Davison, G. C. (1994). *Clinical behavior therapy*. New York: Wiley.
- Goldman, M. S., D’Angelo, E. J., DeMaso, D. R., & Mezzacappa, E. (1992). Physical and sexual abuse histories among children with borderline personality disorder. *American Journal of Psychiatry*, 149, 1723–1726.
- Goldner, E. M., Hsu, L., Waraich, P., & Somers, J. M. (2002). Prevalence and incidence studies of schizophrenic disorders: A systematic review of the literature. *Canadian Journal of Psychiatry*, 47, 833–843.
- Goodwin, F. K., Fireman, B., Simon, G. E., Hunkeler, E. M., Lee, J., & Revicki, D. (2003). Suicide risk in bipolar disorder during treatment with lithium and divalproex. *Journal of the American Medical Association*, 290, 1467–1473.
- Goodwin, F. K., & Jamison, K. R. (2007). *Manic-depressive illness: Bipolar disorders and recurrent depression* (2nd ed.). New York: Oxford University Press.
- Gordis, E. (2000). Alcohol, the brain, and behavior: Mechanisms of addiction. *Alcohol Research and Health*, 24, 12–15.
- Gottesman, I. I. (1991). *Schizophrenia genesis: The origins of madness*. New York: W. H. Freeman.
- Grant, B., Chou, S., Goldstein, R., Huang, B., Stinson, F., Saha, T., et al. (2008). Prevalence, correlates, disability, and comorbidity of DSM-IV borderline personality disorder: Results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry*, 69, 533–545.
- Grant, J. E., Kim, S. W., & Crow, S. J. (2001). Prevalence and clinical features of body dysmorphic disorder in adolescent and adult psychiatric inpatients. *Journal of Clinical Psychiatry*, 62, 517–522.
- Gunderson, J. G., & Sabo, A. N. (1993). The phenomenological and conceptual interface between borderline personality disorder and PTSD. *American Journal of Psychiatry*, 150, 19–27.
- Gupta, A. R., & State, M. W. (2007). Recent advances in the genetics of autism. *Biological Psychiatry*, 61, 429–437.
- Halford, W. K., & Markman, H. J. (1997). *Clinical handbook of*

- marriage and couples interventions*. New York: Wiley.
- Hammen, C., Burge, D., Burney, E., & Adrian, C. (1990). Longitudinal study of diagnoses in children of women with unipolar and bipolar affective disorder. *Archives of General Psychiatry*, 47, 1112–1117.
- Hammen, C., Ellicott, A., Gitlin, M., & Jamison, K. R. (1989). Sociotropy/autonomy and vulnerability to specific life events in patients with unipolar depression and bipolar disorders. *Journal of Abnormal Psychology*, 98, 154–160.
- Hammen, C., & Gitlin, M. (1997). Stress reactivity in bipolar patients and its relation to prior history of depression. *American Journal of Psychiatry*, 154, 856–857.
- Hanson, R. K., Steffy, R. A., & Gauthier, R. (1993). Long-term recidivism of child molesters. *Journal of Consulting and Clinical Psychology*, 61, 646–652.
- Harding, C. M., Brooks, G. W., Ashikaga, T., Strauss, J. S., & Breier, A. (1987). The Vermont longitudinal study of persons with severe mental illness, II: Long-term outcome of subjects who retrospectively met DSM-III criteria for schizophrenia. *American Journal of Psychiatry*, 144, 727–735.
- Harris, G. T., & Rice, M. E. (1996). The science in phallometric measurement of male sexual interest. *Current Directions in Psychological Science*, 5, 156–160.
- Harrison, P. J. (2012). The neurobiology of schizophrenia. In M. G. Gelder, N. C. Andreasen, J. J. Lopez-Ibor, & J. R. Geddes (Eds.), *New Oxford textbook of psychiatry* (2nd ed., Vol. 1, pp. 561–568). New York: Oxford University Press.
- Hasin, D. S., Stinson, F. S., Ogburn, E., & Grant, B. F. (2007). Prevalence, correlates, disability, and comorbidity of DSM-IV alcohol abuse and dependence in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Archives of General Psychiatry*, 64, 830–842.
- Hastings, J., & Hamberger, K. (1988). Personality correlates of spouse abusers: A cross-validation study. *Violence and Victims*, 3, 31–48.
- Hayes-Skelton, S. A., Roemer, L., & Orsillo, S. M. (2013). A randomized clinical trial comparing an acceptance based behavior therapy to applied relaxation for generalized anxiety disorder. *Journal of Clinical and Consulting Psychology*, 81, 761–773.
- Heimberg, R. G., Dodge, C. S., Hope, D. A., Kennedy, C. R., Zollo, L. J., & Becker, R. E. (1990). Cognitive-behavioral group treatment for social phobia: Comparison with a credible placebo control. *Cognitive Therapy and Research*, 14, 1–23.
- Heimberg, R. G., Liebowitz, M. R., Hope, D. A., & Schneier, F. R. (Eds.). (1995). *Social phobia: Diagnosis, assessment, and treatment*. New York: Guilford Press.
- Heimberg, R. G., Liebowitz, M. R., Hope, D. A., Schneier, F. R., Holt, C. S., Welkowitz, L. A., et al. (1998). Cognitive behavioral group therapy vs. phenelzine therapy for social phobia. *Archives of General Psychiatry*, 55, 1133–1141.
- Heimberg, R. G., & Magee, L. (2014). Social anxiety disorder. In D. H. Barlow (Ed.), *Clinical handbook of psychological disorders: A step-by-step treatment manual* (5th ed., pp. 1114–1154). New York: Guilford Press.

- Heimberg, R. G., Salzman, D. G., Holt, C. S., & Blendell, K. A. (1995). Cognitive-behavioral group treatment for social phobia: Effectiveness at five-year follow-up. *Cognitive Therapy and Research*, 17, 325–339.
- Herzog, D. B., Dorer, D. J., Keel, P. K., Selwyn, S. E., Ekeblad, E. R., Flores, A. T., et al. (1999). Recovery and relapse in anorexia and bulimia nervosa: A 7.5 year follow-up study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38, 829–837.
- Hettema, J. M., Kuhn, J. W., Prescott, C. A., & Kendler, K. S. (2006). The impact of generalized anxiety disorder and stressful life events on risk for major depressive episodes. *Psychological Medicine*, 36, 789–795.
- Hettema, J. M., Neale, M. C., & Kendler, K. S. (2001). A review and meta-analysis of the genetic epidemiology of anxiety disorders. *American Journal of Psychiatry*, 158, 1568–1578.
- Hettema, J. M., Prescott, C. A., & Kendler, K. S. (2004). Genetic and environmental sources of covariation between generalized anxiety disorder and neuroticism. *American Journal of Psychiatry*, 161, 1581–1587.
- Hettema, J. M., Prescott, C. A., Myers, J. M., Neale, M. C., & Kendler, K. S. (2005). The structure of genetic and environmental risk factors for anxiety disorders in men and women. *Archives of General Psychiatry*, 62, 182–189.
- Himmelfarb, S., & Murrell, S. A. (1984). The prevalence and correlation of anxiety symptoms in older adults. *Journal of Psychiatry*, 116, 159–167.
- Hoehn-Saric, R., Hazlett, R. L., & McLeod, D. R. (1993). Generalized anxiety disorder with early and late onset of anxiety symptoms. *Comprehensive Psychiatry*, 34, 291–298.
- Hoehn-Saric, R., McLeod, D. R., & Zimmerli, W. D. (1989). Somatic manifestations in women with generalized anxiety disorder. *Archives of General Psychiatry*, 46, 1113–1119.
- Hoek, H. W. (2002). The distribution of eating disorders. In K. D. Brownell & C. G. Fairburn (Eds.), *Eating disorders and obesity: A comprehensive handbook* (2nd ed., pp. 207–211). New York: Guilford Press.
- Hofmann, S. G., & Barlow, D. H. (2002). Social phobia (social anxiety disorder). In D. H. Barlow (Ed.), *Anxiety and its disorders: The nature and treatment of anxiety and panic* (2nd ed., pp. 454–476). New York: Guilford Press.
- Hollander, E., Allen, A., Kwon, J., Aronowitz, B., Schmeider, J., Wong, C., et al. (1999). Clomipramine vs desipramine crossover trial in body dysmorphic disorder: Selective efficacy of a serotonin reuptake inhibitor in imagined ugliness. *Archives of General Psychiatry*, 56, 1033–1039.
- Hollon, S. D., DeRubeis, R. J., Evans, M. D., Weiner, M. J., Garvey, M. J., Grose, W. M., et al. (1992). Cognitive therapy and pharmacotherapy for depression: Singly and in combination. *Archives of General Psychiatry*, 49, 772–781.
- Holtzworth-Munroe, A., & Anglin, K. (1991). The competency of responses given by maritally violent versus nonviolent men to problematic marital situations. *Violence and Victims*, 6, 257–269.
- Holtzworth-Munroe, A., & Hutchinson, G. (1993). Attributing negative intent to wife behavior: The attributions of maritally violent

- versus nonviolent men. *Journal of Abnormal Psychology*, 102, 206–211.
- Holtzworth-Munroe, A., & Meehan, J. C. (2004). Typologies of men who are maritally violent: Scientific and clinical implications. *Journal of Interpersonal Violence*, 19, 1369–1389.
- Holtzworth-Munroe, A., & Stuart, G. L. (1994). Typologies of male batterers: Three subtypes and differences among them. *Psychological Bulletin*, 116, 476–497.
- Hooley, J. M., & Teasdale, J. D. (1989). Predictors of relapse in unipolar depressives: Expressed emotion, marital distress, and perceived criticism. *Journal of Abnormal Psychology*, 98, 229–235.
- Hope, D. A., Heimberg, R. G., & Turk, C. L. (2006). *Managing social anxiety: A cognitive-behavioral therapy approach*. New York: Oxford University Press.
- Hornung, C. A., McCullough, B. C., & Sugimoto, T. (1981). Status relationships in marriage: Risk factors in spouse abuse. *Journal of Marriage and the Family*, 43, 675–692.
- Hsu, L. K. G. (1990). *Eating disorders*. New York: Guilford Press.
- Hudson, J. I., Hiripi, E., Pope, H. G., & Kessler, R. C. (2007). The prevalence and correlates of eating disorders in the National Comorbidity Survey Replication. *Biological Psychiatry*, 61, 348–358.
- Hudson, J., Pope, H., Jonas, J. M., & Yurgelin-Todd, D. (1983). Family history study of anorexia nervosa and bulimia. *British Journal of Psychiatry*, 142, 133–138.
- Hunnicut, C. P., & Newman, I. A. (1993). Adolescent dieting practices and nutrition knowledge. *Health Values*, 17, 35–40.
- Insel, T. R., Zahn, T., & Murphy, D. L. (1985). Obsessive-compulsive disorder: An anxiety disorder? In A. H. Tuma & J. D. Maser (Eds.), *Anxiety and the anxiety disorders* (pp. 577–589). Hillsdale, NJ: Erlbaum.
- Ishigooka, J., Iwao, M., Suzuki, M., Fukayama, Y., Muraski, M., & Miura, S. (1998). Demographic features of patients seeking cosmetic surgery. *Psychiatry and Clinical Neurosciences*, 52, 283–287.
- Jablensky, A. (2012). Epidemiology of schizophrenia. In M. G. Gelder, N. C. Andreasen, J. J. Lopez-Ibor, & J. R. Geddes (Eds.), *New Oxford textbook of psychiatry* (2nd ed., Vol. 1, pp. 540–553). New York: Oxford University Press.
- Jasinski, J. L., Asdigian, N. L., & Kantor, G. K. (1997). Ethnic adaptations to occupational strain: Work-related stress, drinking, and wife assault among Anglo and Hispanic husbands. *Journal of Interpersonal Violence*, 12, 814–831.
- Javitt, D. C., & Laruelle, M. (2006). Neurochemical theories. In J. A. Lieberman, T. S. Stroup, & D. O. Perkins (Eds.), *The American Psychiatric Publishing textbook of schizophrenia* (pp. 85–116). Washington, DC: American Psychiatric Publishing.
- Jenike, M. A., Baer, L., Ballantine, H. T., Martuza, R. L., Tynes, S., Giriunas, I., et al. (1991). Cingulotomy for refractory obsessive-compulsive disorder: A long-term follow-up of 33 patients. *Archives of General Psychiatry*, 48, 548–555.
- Jobe, T. H., & Harrow, M. (2005). Long-term outcome of patients with schizophrenia: A review.

- Canadian Journal of Psychiatry*, 50, 892–900.
- Johnson, J. G., Cohen, P., Kasen, S., & Brook, J. S. (2006). Dissociative disorders among adults in the community, impaired functioning, and Axis I and Axis II comorbidity. *Journal of Psychiatric Research*, 40, 131–140.
- Kagan, J., Reznick, J. S., & Snidman, N. (1988). Biological bases of childhood shyness. *Science*, 240, 167–171.
- Kagan, J., & Snidman, N. (1991). Infant predictors of inhibited and uninhibited profiles. *Psychological Science*, 2, 40–44.
- Kagan, J., & Snidman, N. (1999). Early childhood predictors of adult anxiety disorders. *Biological Psychiatry*, 46, 1536–1541.
- Kane, J. M. (2006). Tardive dyskinesia circa 2006. *American Journal of Psychiatry*, 163, 1316–1318.
- Kane, J. M., & Marder, S. R. (2005). Schizophrenia: Somatic treatment. In B. J. Sadock & V. A. Sadock (Eds.), *Kaplan and Sadock's comprehensive textbook of psychiatry* (pp. 1467–1476). Philadelphia: Lippincott, Williams, & Wilkins.
- Kantor, G. K., Jasinski, J. L., & Aldarondo, E. (1994). Sociocultural status and incidence of marital violence in Hispanic families. *Violence and Victims*, 9, 207–222.
- Kapur, S., & Leclerc, I. (Eds.). (2003). *Dopamine in the pathophysiology and treatment of schizophrenia: New findings*. London: Taylor & Francis.
- Karno, M., & Golding, J. M. (1991). Obsessive-compulsive disorder. In L. N. Robins & D. A. Regier (Eds.), *Psychiatric disorders in America: The Epidemiologic Catchment Area Study* (pp. 204–219). New York: Free Press.
- Kaslow, N. J., Davis, S. P., & Smith, C. O. (2009). Biological and psychosocial interventions for depression in children and adolescents. In I. H. Gotlib & C. L. Hammen (Eds.), *Handbook of depression* (2nd ed., pp. 642–672). New York: Guilford Press.
- Keane, T. M., & Barlow, D. H. (2002). Posttraumatic stress disorder. In D. H. Barlow (Ed.), *Anxiety and its disorders: The nature and treatment of anxiety and panic* (2nd ed., pp. 418–453). New York: Guilford Press.
- Keane, T. M., Fairbank, J. A., Caddell, J. M., & Zimering, R. T. (1989). Implosive (flooding) therapy reduces symptoms of PTSD in Vietnam combat veterans. *Behavior Therapy*, 20, 245–260.
- Keck, P. E., & McElroy, S. L. (2002). Pharmacological treatments for bipolar disorder. In P. E. Nathan & J. M. Gorman (Eds.), *A guide to treatments that work* (2nd ed., pp. 277–299). New York: Oxford University Press.
- Keel, P. K., Dorner, D. J., Eddy, K. T., Franko, D., Charatan, D. L., & Herzog, D. B. (2003). Predictors of mortality in eating disorders. *Archives of General Psychiatry*, 60, 179–183.
- Keel, P. K., Klump, K. L., Miller, K. B., McGue, M., & Iacono, W. G. (2005). Shared transmission of eating disorders and anxiety disorders. *International Journal of Eating Disorders*, 38, 99–105.
- Keeley, M. L., Storch, E. A., Merlo, L. J., & Geffken, G. R. (2008). Clinical predictors of response to cognitive-behavioral therapy for obsessive-compulsive disorder. *Clinical Psychology Review*, 28, 118–130.

- Keiter, G. I., Ryan, C. E., Miller, I. W., Kohn, R., Bishop, D. S., & Epstein, N. B. (1995). Role of the family in recovery and major depression. *American Journal of Psychiatry*, 152, 1002–1008.
- Keller, M. B., Lavori, P. W., Coryell, W., Endicott, J., & Mueller, T. I. (1993). Bipolar I: A five-year prospective follow-up. *Journal of Nervous and Mental Disease*, 181, 238–245.
- Kendall, P. C., Hudson, J. L., Gosch, E., Flannery-Schroeder, E., & Suveg, C. (2008). Cognitive behavioral therapy for anxiety disordered youth: A randomized clinical trial evaluating child and family modalities. *Journal of Consulting and Clinical Psychology*, 76, 282–297.
- Kendler, K. S., Heath, A. C., Martin, N. G., & Eaves, L. J. (1987). Symptoms of anxiety and symptoms of depression: Same genes, different environments? *Archives of General Psychiatry*, 44, 451–457.
- Kendler, K. S., Heath, A. C., Neale, M. C., Kessler, R. C., & Eaves, L. J. (1992). A population-based twin study of alcoholism in women. *Journal of the American Medical Association*, 268, 1877–1882.
- Kendler, K. S., Kuhn, J., & Prescott, C. A. (2004). The interrelationship of neuroticism, sex, and stressful life events in the prediction of episodes of major depression. *American Journal of Psychiatry*, 161, 631–636.
- Kendler, K. S., Maclean, C., Neale, M., Kessler, R., Heath, A., & Eaves, L. (1991). The genetic epidemiology of bulimia nervosa. *American Journal of Psychiatry*, 148, 1627–1637.
- Kendler, K. S., Neale, M. C., Kessler, R. C., Heath, A. C., & Eaves, L. J. (1992a). Generalized anxiety disorder in women: A population-based twin study. *Archives of General Psychiatry*, 49, 267–272.
- Kendler, K. S., Neale, M. C., Kessler, R. C., Heath, A. C., & Eaves, L. J. (1992b). Major depression and generalized anxiety disorder: Same genes, (partly) different environments? *Archives of General Psychiatry*, 49, 716–722.
- Kendler, K. S., Neale, M. C., Kessler, R. C., Heath, A. C., & Eaves, L. J. (1993). A longitudinal twin study of 1-year prevalence of major depression in women. *Archives of General Psychiatry*, 50, 843–852.
- Kendler, K. S., Schmitt, E., Aggen, S. H., & Prescott, C. A. (2008). Genetic and environmental influences on alcohol, caffeine, cannabis, and nicotine use from early adolescence to middle adulthood. *Archives of General Psychiatry*, 65, 674–682.
- Kendler, K. S., Walters, E. E., Neale, M. C., Kessler, R. C., Heath, A., & Eaves, L. (1995). The structure of genetic and environmental risk factors for six major psychiatric disorders in women. *Archives of General Psychiatry*, 52, 374–383.
- Kessler, R. C. (1997). The effects of stressful life events on depression. *Annual Review of Psychology*, 48, 191–214.
- Kessler, R. C., Avenevoli, S., Costello, H., Georgiades, K., Green, J. G., Gruber, M. J., et al. (2012). Prevalence, persistence, and sociodemographic correlates of DSM-IV disorders in the National Comorbidity Survey Replication Adolescent Supplement. *Archives of General Psychiatry*, 69, 372–380.
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Koretz, D., Merikangas, K. R.,

- et al. (2003). The epidemiology of major depressive disorder: Results from the National Comorbidity Survey Replication (NCS-R). *Journal of the American Medical Association*, 289, 3095–3105.
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62, 593–602.
- Kessler, R. C., Chui, W. T., Demler, O., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62, 617–627.
- Kessler, R. C., Chiu, W. T., Jin, R., Shear, K., & Walters, E. E. (2006). The epidemiology of panic attacks, panic disorder, and agoraphobia in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 63, 415–424.
- Kessler, R. C., McGonagle, K. A., Zhao, S., Nelson, C. B., Hughes, M., Eshleman, S., et al. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. *Archives of General Psychiatry*, 51, 8–19.
- Kessler, R. C., & Wang, P. S. (2009). Epidemiology of depression. In I. H. Gotlib & C. L. Hammen (Eds.), *Handbook of depression* (2nd ed., pp. 5–22). New York: Guilford Press.
- Killen, J. D. (1996). Development and evaluation of a school-based eating disorder symptoms prevention program. In L. Smolak, M. P. Levine, & R. Striegel-Moore (Eds.), *The developmental psychopathology of eating disorders: Implications for research, prevention, and treatment* (pp. 313–339). Mahwah, NJ: Erlbaum.
- Kilpatrick, D. G., Best, C. L., Veronen, L. J., Amick, A. E., Villepontoux, L. A., & Ruff, G. A. (1985). Mental health correlates of criminal victimization: A random community survey. *Journal of Consulting and Clinical Psychology*, 53, 866–873.
- Kilpatrick, D. G., Edmunds, C. N., & Seymour, A. K. (1992). *Rape in America: A report to the nation*. Arlington, VA: National Victim Center.
- Klein, D. N., Lewinsohn, P. M., Rohde, P., Seeley, J. R., & Durbin, C. E. (2002). Clinical features of major depressive disorder in adolescents and their relatives: Impact on familial aggregation, implications for phenotype definition, and specificity of transmission. *Journal of Abnormal Psychology*, 111, 98–106.
- Klein, D. N., Lewinsohn, P. M., & Seeley, J. R. (2001). A family study of major depressive disorder in a community sample of adolescents. *Archives of General Psychiatry*, 58, 13–21.
- Klein, D. N., Schwartz, J. E., Rose, S., & Leader, J. B. (2000). Five-year course and outcome of dysthymic disorder: A prospective, naturalistic follow-up study. *American Journal of Psychiatry*, 157, 931–939.
- Klein, D. N., Shankman, S., & Rose, S. (2006). Ten-year prospective follow-up study of the naturalistic course of dysthymic disorder and double depression. *American Journal of Psychiatry*, 163, 872–880.
- Klerman, G. L., Weissman, M. M., Rounsaville, B. J., & Chevron, E. S. (1984). *Interpersonal psychotherapy*

- for depression. New York: Basic Books.
- Kluft, R. P. (1991). Multiple personality disorder. In A. Tasman & W. Goldinger (Eds.), *Review of psychiatry* (Vol. 10). Washington, DC: American Psychiatric Press.
- Klump, K. L., Miller, K. B., Keel, P. K., McGue, M., & Iacono, W. G. (2001). Genetic and environmental influences on anorexia nervosa syndromes in a population-based twin sample. *Psychological Medicine*, 31, 737-740.
- Koons, C. R., Robins, C. J., Tweed, J. L., Lynch, T. R., Gonzalez, A. M., Morse, J. Q., et al. (2001). Efficacy of dialectical behavior therapy in women veterans with borderline personality disorder. *Behavior Therapy*, 32, 371-390.
- Kopelowicz, A., Liberman, R. P., & Zarate, R. (2006). Psychosocial treatments for schizophrenia. In P. E. Nathan & J. M. Gorman (Eds.), *A guide to treatments that work* (3rd ed., pp. 243-269). New York: Oxford University Press.
- Koran, L. M., Abujaoude, E., Large, M. D., & Serpe, R. T. (2008). The prevalence of body dysmorphic disorder in the United States adult population. *CNS Spectrums*, 13, 316-322.
- Koss, M. P. (1983). The scope of rape: Implications for the clinical treatment of victims. *The Clinical Psychologist*, 36, 88-91.
- Koss, M. P., Gidycz, C. A., & Wisniewski, N. (1987). The scope of rape: Incidence and prevalence of sexual aggression and victimization in a national sample of higher education students. *Journal of Consulting and Clinical Psychology*, 55, 162-170.
- Kulka, R. A., Schlenger, W. E., Fairbank, J. A., Hough, R. L., Jordan, B. K., Marmar, C. R., et al. (1990). *Trauma and the Vietnam War generation*. New York: Brunner/Mazel.
- Kurtz, M. M., & Mueser, K. T. (2008). A meta-analysis of controlled research on social skills training for schizophrenia. *Journal of Consulting and Clinical Psychology*, 76, 491-504.
- Kushner, M. G., Abrams, K., & Borchardt, C. (2000). The relationship between anxiety disorders and alcohol use disorders: A review of major perspectives and findings. *Clinical Psychology Review*, 20, 149-171.
- La Greca, A. M., Silverman, W. K., Lai, B., & Jaccard, J. (2010). Hurricane-related exposure experiences and stressors, other life events, and social support: Concurrent and prospective impact on children's persistent posttraumatic stress disorder symptoms. *Journal of Consulting and Clinical Psychology*, 78, 794-805.
- Lam, D. H., Hayward, P., Watkins, E. R., Wright, K., & Sham, P. (2005). Relapse prevention in patients with bipolar disorder: Cognitive therapy outcome after 2 years. *American Journal of Psychiatry*, 162, 324-329.
- Lanyon, R. I. (1986). Theory and treatment in child molestation. *Journal of Consulting and Clinical Psychology*, 54, 176-182.
- Lau, J. Y. F., & Eley, T. C. (2010). The genetics of mood disorders. *Annual Review of Clinical Psychology*, 6, 313-337.
- Laws, D. R., Hudson, S. M., & Ward, T. (2000). *Remaking relapse prevention with sex offenders: A sourcebook*. Thousand Oaks, CA: Sage.
- Le Grange, D., & Lock, J. (2005). The dearth of psychological treatment

- studies for anorexia nervosa. *International Journal of Eating Disorders*, 37, 79–91.
- Leckman, J. F., & Chittenden, E. H. (1990). Gilles de la Tourette's syndrome and some forms of obsessive-compulsive disorder may share a common genetic diathesis. *L'Encephale*, 16, 321–323.
- Leckman, J. F., Denys, D., Simpson, H. B., Mataix-Cols, D., Hollander, E., Saxena, S., et al. (2010). Obsessive-compulsive disorder: A review of the diagnostic criteria and possible subtypes and dimensional specifiers for DSM-5. *Depression and Anxiety*, 27, 507–527.
- Lenzenweger, M. F., Lane, M. C., Loranger, A. W., & Kessler, R. C. (2007). DSM-IV personality disorders in the National Comorbidity Survey Replication. *Biological Psychiatry*, 62, 553–564.
- Lewinsohn, P. M., Hops, H., Roberts, R. E., Seeley, J. R., & Andrews, J. A. (1993). Adolescent psychopathology: I. Prevalence and incidence of depression and other DSM-III-R disorders in high school students. *Journal of Abnormal Psychology*, 102, 133–144.
- Li, X., Zou, H., & Brown, W. T. (2012). Genes associated with autism spectrum disorder. *Brain Research Bulletin*, 88, 543–552.
- Lieb, R., Wittchen, H.-U., Hofler, M., Fuetsch, M., Stein, M. B., & Merikangas, K. R. (2000). Parental psychopathology, parenting styles, and the risk of social phobia in offspring. *Archives of General Psychiatry*, 57, 859–866.
- Lieberman, J. A., Stroup, T. S., McEvoy, J. P., Swartz, M. S., Rosenheck, R. A., Perkins, D. O., et al. (2005). Effectiveness of antipsychotic drugs in patients with chronic schizophrenia. *New England Journal of Medicine*, 353, 1209–1223.
- Liebowitz, M. R., Schneier, F., Campeas, R., Hollander, E., Hatterer, J., Fyer, A., et al. (1992). Phenelzine vs. atenolol in social phobia: A placebo controlled comparison. *Archives of General Psychiatry*, 49, 290–300.
- Lilenfeld, L. R. R., Wonderlich, S., Riso, L. P., Crosby, R., & Mitchell, J. (2006). Eating disorders and personality: A methodological and empirical review. *Clinical Psychology Review*, 26, 299–320.
- Linehan, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
- Linehan, M. M., Armstrong, H. E., Suarez, A., Allmon, D., & Heard, H. L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 48, 1060–1064.
- Linehan, M. M., Dimeff, L. A., Reynolds, S. K., Comtois, K., Shaw-Welch, S., Heagerty, P., et al. (2006). Two-year randomized trial + followup of dialectical behavior therapy vs. therapy by experts for suicidal behaviors and borderline personality disorder. *Archives of General Psychiatry*, 63, 757–766.
- Linehan, M. M., Heard, H. L., & Armstrong, H. E. (1993). Naturalistic follow-up of a behavioral treatment for chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 50, 971–974.
- Linehan, M. M., Tutek, D. A., Heard, H. L., & Armstrong, H. E. (1994). Interpersonal outcome of cognitive behavioral treatment for chronically suicidal borderline patients. *American Journal of Psychiatry*, 151, 1771–1776.

- Links, P. S., Steiner, M., & Huxley, G. (1988). The occurrence of borderline personality disorder in families of borderline patients. *Journal of Personality Disorders*, 2, 14–20.
- Lovaas, O. I. (1977). *The autistic child: Language development through behavior modification*. New York: Irvington.
- Lovaas, O. I. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. *Journal of Consulting and Clinical Psychology*, 55, 3–9.
- Lowe, B., Zipfel, S., Buchholz, C., DuPont, Y., Reas, D. L., & Herzog, W. (2000). Long-term outcome of anorexia nervosa in a prospective 21-year follow-up study. *Psychological Medicine*, 31, 881–890.
- Lydiard, R. B., Brawman-Mintzer, O., & Ballenger, J. C. (1996). Recent developments in the psychopharmacology of anxiety disorders. *Journal of Consulting and Clinical Psychology*, 64, 660–668.
- Lykken, D. T. (1957). A study of anxiety in the sociopathic personality. *Journal of Abnormal and Social Psychology*, 55, 6–10.
- Lynch, T. R., & Cuper, P. F. (2012). Dialectical behavior therapy of borderline and other personality disorders. In T. A. Widiger (Ed.), *The Oxford handbook of personality disorders* (pp. 785–793). New York: Oxford University Press.
- Magdol, L., Moffitt, T. E., Caspi, A., Newman, D. L., Fagan, J., & Silva, P. A. (1997). Gender differences in partner violence in a birth cohort of 21-year-olds: Bridging the gap between clinical and epidemiological approaches. *Journal of Consulting and Clinical Psychology*, 65, 68–78.
- Magee, W. J., Eaton, W. W., Wittchen, H. U., McGonagle, K. A., & Kessler, R. C. (1996). Agoraphobia, simple phobia, and social phobia in the National Comorbidity Survey. *Archives of General Psychiatry*, 53, 159–168.
- Maiuro, R. D., Cahn, T. S., Vitaliano, P. P., Wagner, B. C., & Zegree, J. B. (1988). Anger, hostility, and depression in domestically violent versus generally assaultive men and nonviolent control subjects. *Journal of Consulting and Clinical Psychology*, 56, 17–23.
- Maletzky, B. M. (1991). *Treating the sexual offender*. Newbury Park, CA: Sage.
- Maletzky, B. M. (2002). The paraphilias: Research and treatment. In P. E. Nathan & J. M. Gorman (Eds.), *A guide to treatments that work* (2nd ed., pp. 525–557). New York: Oxford University Press.
- Malkoff-Schwartz, S., Frank, E., Anderson, B. P., Hlastala, S. A., Luther, J. F., Sherrill, J. T., et al. (2000). Social rhythm disruption and stressful life events in the onset of bipolar and unipolar episodes. *Psychological Medicine*, 30, 1005–1016.
- Margolin, G., & Burman, B. (1993). Wife abuse versus marital violence: Different terminologies, explanations, and solutions. *Clinical Psychology Review*, 13, 59–73.
- Margolin, G., John, R. S., & Gleberman, L. (1988). Affective responses to conflictual discussions in violent and nonviolent couples. *Journal of Consulting and Clinical Psychology*, 56, 24–33.
- Marlatt, G. A., & Donovan, D. M. (Eds.). (2005). *Relapse prevention: Maintenance strategies in the treatment of addictive behaviors* (2nd ed.). New York: Guilford Press.

- Marques, J. K., Wiederanders, M., Day, D. M., Nelson, C., & Ommeren, A. (2005). Effects of a relapse prevention program on sexual recidivism: Final results from California's Sex Offender Treatment and Evaluation Project (SOTEP). *Sexual Abuse*, 17, 79-107.
- Marshall, W. L. (1979). Satiation therapy: A procedure for reducing deviant sexual arousal. *Journal of Applied Behavior Analysis*, 12, 377-389.
- Marshall, W. L. (1997). Pedophilia: Psychopathology and theory. In D. R. Laws & W. O'Donohue (Eds.), *Sexual deviance: Theory, assessment, and treatment* (pp. 152-174). New York: Guilford Press.
- Marshall, W. L., Barbaree, H. E., & Christophe, D. (1986). Sexual offenders against female children: Sexual preferences for age of victims and type of behaviour. *Canadian Journal of Behavioural Science*, 18, 424-439.
- Marshall, W. L., Eccles, A., & Barbaree, H. E. (1991). The treatment of exhibitionists: A focus on sexual deviance versus cognitive and relationship features. *Behaviour Research and Therapy*, 29, 129-135.
- Marshall, W. L., Hudson, S. M., & Ward, T. (1992). Sexual deviance. In P. H. Wilson (Ed.), *Principles and practice of relapse prevention* (pp. 235-254). New York: Guilford Press.
- Masia-Warner, C., Klein, R. G., Dent, H. C., Fisher, P. H., Alvir, J., Albano, A., et al. (2005). School-based intervention for adolescents with social anxiety disorder: Results of a controlled study. *Journal of Abnormal Child Psychology*, 33, 707-722.
- Mathew, S. J., & Hoffman, E. J. (2009). Pharmacotherapy for generalized anxiety disorder. In M. M. Antony & M. B. Stein (Eds.), *Oxford handbook of anxiety and related disorders* (pp. 350-363). New York: Oxford University Press.
- Matson, J. L., & Smith, K. R. M. (2008). Current status of intensive behavioral interventions for young children with autism and PPD-NOS. *Research in Autism Spectrum Disorders*, 2, 60-74.
- Mattick, R. P., & Peters, L. (1988). Treatment of severe social phobia: Effects of guided exposure with and without cognitive restructuring. *Journal of Consulting and Clinical Psychology*, 56, 251-260.
- Mattick, R. P., Peters, L., & Clarke, J. C. (1989). Exposure and cognitive restructuring for social phobia: A controlled study. *Behavior Therapy*, 20, 3-23.
- Mazure, C. M., Bruce, M. L., Maciejewski, P. K., & Jacobs, S. C. (2000). Adverse life events and cognitive-personality characteristics in the prediction of major depression and antidepressant response. *American Journal of Psychiatry*, 157, 896-903.
- McCabe, R., Antony, M. M., Summerfeldt, L. J., Liss, A., & Swinson, R. P. (2003). Preliminary examination of the relationship between anxiety disorders in adults and self-reported history of teasing or bullying experiences. *Cognitive Behaviour Therapy*, 32, 187-193.
- McCullough, J. P., Klein, D. N., Borian, F. E., Howland, R. H., Riso, L. P., Keller, M. B., et al. (2003). Group comparisons of DSM-IV subtypes of chronic depression: Validity of the distinctions, Part 2. *Journal of Abnormal Psychology*, 112, 614-622.

- McCullough, J. P., Klein, D. N., Keller, M. B., Holzer, C. E., Davis, S. M., Kornstein, S. G., et al. (2000). Comparison of *DSM-III-R* chronic major depression and major depression superimposed on dysthymia (double depression): Validity of the distinction. *Journal of Abnormal Psychology*, 109, 419–427.
- McGirr, A., Paris, J., Lesage, A., Renaud, J., & Turecki, G. (2009). An examination of *DSM-IV* borderline personality disorder symptoms and risk for death by suicide: A psychological autopsy study. *Canadian Journal of Psychiatry*, 54, 87–92.
- McGuffin, P., & Katz, R. (1989). The genetics of depression and manic-depressive disorder. *British Journal of Psychiatry*, 155, 294–304.
- McGuffin, P., Rijsdijk, F., Andrew, M., Sham, P., Katz, R., & Cardno, A. (2003). The heritability of bipolar affective disorder and the genetic relationship to unipolar depression. *Archives of General Psychiatry*, 60, 497–502.
- McKay, J. R., Alterman, A. I., McLellan, T., Snider, E. C., & O'Brien, C. P. (1995). Effect of random versus nonrandom assignment in a comparison of inpatient and day hospital rehabilitation for male alcoholics. *Journal of Consulting and Clinical Psychology*, 63, 70–78.
- McLaughlin, N. C. R., & Greenberg, B. D. (2012). Other biological approaches to OCD. In G. Steketee (Ed.), *The Oxford handbook for obsessive compulsive and spectrum disorders* (pp. 307–321). New York: Oxford University Press.
- McLeod, J. D., Kessler, R. C., & Landis, K. R. (1992). Speed of recovery from major depressive episodes in a community sample of married men and women. *Journal of Abnormal Psychology*, 101, 277–286.
- Mellman, T. A., & Davis, G. C. (1985). Combat-related flashbacks in post-traumatic stress disorder: Phenomenology and similarity to panic attacks. *Journal of Clinical Psychiatry*, 46, 379–382.
- Merikangas, K. R., Akiskal, H. S., Angst, J., Greenberg, P. E., Hirschfeld, R. M., Petukhova, M., et al. (2007). Lifetime and 12-month prevalence of bipolar spectrum disorder in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 64, 543–552.
- Merikangas, K. R., & Pato, M. (2009). Recent developments in the epidemiology of bipolar disorder in adults and children: Magnitude, correlates, and future directions. *Clinical Psychology: Science and Practice*, 16, 121–133.
- Miklowitz, D. J. (2014). Bipolar disorder. In D. H. Barlow (Ed.), *Clinical handbook of psychological disorders: A step-by-step treatment manual* (5th ed., pp. 462–501). New York: Guilford Press.
- Miklowitz, D. J., George, E. L., Richards, J. A., Simoneau, T. L., & Suddath, R. L. (2003). A randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder. *Archives of General Psychiatry*, 60, 904–912.
- Miller, I. W., Keitner, G. I., Epstein, N. B., Bishop, D. S., & Ryan, C. E. (1991). *Families of bipolar patients: Dysfunction, course of illness, and pilot treatment study*. In Proceedings of the 22nd meeting of the Society for Psychotherapy Research, Pittsburgh, PA.
- Miller, W. R., & Hester, R. K. (1986). Inpatient alcoholism treatment: