

References

- Ahrens, J., & Rexford, L. (2002). Cognitive processing therapy for incarcerated adolescents with PTSD. *Journal of Aggression, Maltreatment and Trauma, 6*, 201–216.
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- Anderson, H., & Goolishian, H. (1992). The client is the expert: A not-knowing approach to therapy. In S. McNamee & K. J. Gergen (Eds.), *Therapy as social construction* (pp. 25–39). London: Sage.
- Asamsama, H. O., Dickstein, B. D., & Chard, K. M. (2015). Do scores on the Beck Depression Inventory–II predict outcome in cognitive processing therapy? *Psychological Trauma: Theory, Research, Practice and Policy, 7*, 437–441.
- Barlow, D. H., & Craske, M. G. (1994). *Mastery of your anxiety and panic: II*. Albany, NY: Graywind.
- Bass, J. K., Annan, J., McIvor Murray, S., Kaysen, D., Griffiths, S., Cetinoglu, T., . . . Bolton, P. A. (2013). Controlled trial of psychotherapy for Congolese survivors of sexual violence. *New England Journal of Medicine, 368*(23), 2182–2191.
- Beck, A. T., & Greenberg, R. L. (1984). *Cognitive therapy in the treatment of depression*. New York: Springer.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Beck Depression Inventory–II*. San Antonio, TX: Psychological Corporation.
- Bishop, W., & Fish, J. M. (1999). Questions as interventions: Perceptions of Socratic, solution focused, and diagnostic questioning styles. *Journal of Rational-Emotive and Cognitive-Behavior Therapy, 12*(2), 115–140.
- Bohus, M., & Steil, R. (in progress). *RELEASE study*. Grant funded by the German Federal Ministry of Education and Research (No. 01KR1303B).
- Bolten, H. (2001). Reason in practice. *Philosophy of Management, 3*(1), 21–34.
- Bolton, P., Bass, J. K., Zangana, G. A. S., Kamal, T., Murray, S. M., Kaysen, D., . . . Rosenblum, M. (2014). A randomized controlled trial of mental health interventions for survivors of systematic violence in Kurdistan, Northern Iraq. *BMC Psychiatry, 14*, 2–15.

- Briere, J. (1995). *The Trauma Symptom Inventory (TSI): Professional manual*. Odessa, FL: Psychological Assessment Resources.
- Brownmiller, S. (1975). *Against our will*. New York: Simon & Schuster.
- Bryan, C. J., Clemans, T. A., Hernandez, A. M., Mintz, J., Peterson, A. L., Yarvis, J. S., . . . STRONG STAR Consortium. (2016). Evaluating potential iatrogenic suicide risk in trauma-focused group cognitive behavioral therapy for the treatment of PTSD in active duty military personnel. *Depression and Anxiety, 33*(6), 549–557.
- Bryant, R. A., Mastrodomenico, J., Felmingham, K. L., Hopwood, S., Kenny, L., Kandris, E., Cahill, C., & Creamer, M. (2008). Treatment of acute stress disorder: A randomized controlled trial. *Archives of General Psychiatry, 65*, 659–667.
- Burgess, A. W., & Holmstrom, L. L. (1976). Coping behavior of the rape victim. *American Journal of Psychiatry, 133*, 413–418.
- Butollo, W., Karl, R., König, J., & Rosner, R. (2015). A randomized controlled clinical trial of dialogical exposure therapy vs. cognitive processing therapy for adult outpatients suffering from PTSD after type I trauma in adulthood. *Psychotherapy and Psychosomatics, 85*, 16–26.
- Chard, K. M. (2005). An evaluation of cognitive processing therapy for the treatment of post-traumatic stress disorder related to childhood sexual abuse. *Journal of Consulting and Clinical Psychology, 73*(5), 965–971.
- Chard, K. M., Ricksecker, E. G., Healy, E. T., Karlin, B. E., & Resick, P. A. (2012). Dissemination and experience with cognitive processing therapy. *Journal of Rehabilitation Research and Development, 49*(5), 667–678.
- Chard, K. M., Schumm, J. A., Owens, G. P., & Cottingham, S. M. (2010). A comparison of OEF and OIF veterans and Vietnam veterans receiving cognitive processing therapy. *Journal of Traumatic Stress, 23*(1), 25–32.
- Chard, K. M., Schuster, J. L., & Resick, P. A. (2012). Cognitive processing therapy. In J. G. Beck & D. M. Sloan (Eds.), *The Oxford handbook of traumatic stress disorders* (pp. 439–448). New York: Oxford University Press.
- Clark, L. A. (1993). *SNAP—Schedule for Nonadaptive and Adaptive Personality: Manual for administration, scoring, and interpretation*. Minneapolis: University of Minnesota Press.
- Clarke, S. B., Rizvi, S. L., & Resick, P. A. (2008). Borderline personality characteristics and treatment outcome in cognitive-behavioral treatments for PTSD in female rape victims. *Behavior Therapy, 39*, 72–78.
- Derogatis, L. R. (1977). *SCL-90-R: Administration, scoring and procedures manual—II*. Towson, MD: Clinical Psychometric Research.
- Dickstein, B. D., Walter, K. H., Schumm, J. A., & Chard, K. M. (2013). Comparing response to cognitive processing therapy in military veterans with subthreshold and threshold post-traumatic stress disorder. *Journal of Traumatic Stress, 26*, 703–709.
- Dondanville, K. A., Blankenship, A. E., Molino, A., Resick, P. A., Wachen, J. S., Mintz, J., . . . STRONG STAR Consortium. (2016). Qualitative examination of cognitive change during PTSD treatment for active duty service members. *Behaviour Research and Therapy, 79*, 1–6.
- Edinger, J., & Carney, C. (2008). *Overcoming insomnia: A cognitive-behavioral therapy approach therapist guide*. Oxford, UK: Oxford University Press.
- Elder, L., & Paul, R. (1998). The role of Socratic questioning in thinking, teaching, and learning. *The Clearing House, 71*, 297–301.
- Falsetti, S. A., Resnick, H. S., & Davis, J. L. (2008). Multiple channel exposure therapy for women with PTSD and comorbid panic attacks. *Cognitive Behaviour Therapy, 37*, 117–130.
- Foa, E. B., Cashman, L., Jaycox, L., & Perry, K. (1997). The validation of a self-report measure

- of posttraumatic stress disorder: The Posttraumatic Diagnostic Scale. *Psychological Assessment*, 9(4), 445–451.
- Foa, E. B., Hearst-Ikeda, D., & Perry, K. J. (1995). Evaluation of a brief cognitive-behavioral program for the prevention of chronic PTSD in recent assault victims. *Journal of Consulting and Clinical Psychology*, 63, 948–955.
- Foa, E. B., & Kozak, M. J. (1986). Emotional processing of fear: Exposure to corrective information. *Psychological Bulletin*, 99, 2–35.
- Foa, E. B., Rothbaum, B., Riggs, D., & Murdock, T. (1991). Treatment of posttraumatic stress disorder in rape victims: A comparison between cognitive-behavioral procedures and counseling. *Journal of Consulting and Clinical Psychology*, 59(5), 715–723.
- Foa, E. B., Zoellner, L. A., & Feeny, N. C. (2006). An evaluation of three brief programs for facilitating recovery after assault. *Journal of Traumatic Stress*, 19, 29–43.
- Forbes, D., Lloyd, D., Nixon, R. D., Elliott, P., Varker, T., Perry, D., . . . Creamer, M. (2012). A multisite randomized controlled effectiveness trial of cognitive processing therapy for military-related posttraumatic stress disorder. *Journal of Anxiety Disorders*, 26(3), 442–452.
- Gallagher, M., & Resick, P. A. (2012). Mechanisms of change in cognitive processing therapy and prolonged exposure therapy for posttraumatic stress disorder: Preliminary evidence for the differential effects of hopelessness and habituation. *Cognitive Therapy and Research*, 36(6), 750–755.
- Galovski, T. E., Blain, L. M., Chappuis, C., & Fletcher, T. (2013). Sex differences in recovery from PTSD in male and female interpersonal assault survivors. *Behaviour Research and Therapy*, 51(6), 247–255.
- Galovski, T. E., Blain, L. M., Mott, J. M., Elwood, L., & Houle, T. (2012). Manualized therapy for PTSD: Flexing the structure of cognitive processing therapy. *Journal of Consulting and Clinical Psychology*, 80, 968–981.
- Galovski, T. E., Harik, J. M., Blain, L. M., Elwood, L., Gloth, C., & Fletcher, T. (2016). Augmenting CPT to improve sleep impairment in PTSD: A randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 84(2), 167–177.
- Galovski, T. E., Monson, C., Bruce, S. E., & Resick, P. A. (2009). Does cognitive-behavioral therapy for PTSD improve perceived health and sleep impairment? *Journal of Traumatic Stress*, 22(3), 197–204.
- Galovski, T. E., & Resick, P. A. (2008). Cognitive processing therapy for posttraumatic stress disorder secondary to a motor vehicle accident: A single-subject report. *Cognitive and Behavioral Practice*, 15, 287–295.
- Galovski, T. E., Sobel, A., Phipps, K., & Resick, P. A. (2005). Trauma recovery: Beyond the treatment of symptoms of PTSD and other Axis I psychopathology. In T. A. Corales (Ed.), *Trends in posttraumatic stress disorder research* (pp. 207–227). Hauppauge, NY: Nova Science.
- Garner, D. M. (1991). *Eating Disorder Inventory–2: Professional manual*. Odessa, FL: Psychological Assessment Resources.
- Gilman, R., Schumm, J. A., & Chard, K. M. (2011). Hope as a change mechanism in the treatment of posttraumatic stress disorder. *Psychological Trauma: Theory, Research, Practice, and Policy*, 4, 270–277.
- Gradus, J. L., Suvak, M. K., Wisco, B. E., Marx, B. P., & Resick, P. A. (2013). Treatment of posttraumatic stress disorder reduces suicidal ideation. *Depression and Anxiety*, 30, 1046–1053.
- Grady, D. (2013, June 5). Therapy for rape victims shows promise in Congo. Retrieved from www.nytimes.com/2013/06/06/health/therapy-for-rape-victims-shows-promise.html
- Griffin, M. G., Resick, P. A., & Galovski, T. (2012). Does physiologic response to loud tones

- change following cognitive-behavioral treatment for posttraumatic stress disorder? *Journal of Traumatic Stress*, 25, 25–32.
- Haagen, J. F. G., Smid, G. E., Knipscheer, J. W., & Kleber, R. J. (2015). The efficacy of recommended treatments for veterans with PTSD: A metaregression analysis. *Clinical Psychology Review*, 40, 184–194.
- Haines, S. (1999). *The survivor's guide to sex: How to have an empowered sex life after child sexual abuse*. San Francisco: Cleis Press.
- Hariri, A. R., Bookheimer, S. Y., & Mazziotta, J. C. (2000). Modulating emotional responses: Effects of a neocortical network on the limbic system. *NeuroReport*, 11(1), 43–48.
- Hariri, A. R., Mattay, V. S., Tessitore, A., Fera, F., & Weinberger, D. R. (2003). Neocortical modulation of the amygdala response to fearful stimuli. *Biological Psychiatry*, 53(6), 494–501.
- Hinton, D. E., Pham, T., Tran, M., Safren, S. A., Otto, M. W., & Pollack, M. H. (2004). CBT for Vietnam refugees with treatment-resistant PTSD and panic attacks: A pilot study. *Journal of Traumatic Stress*, 17, 429–433.
- Hollon, S. D., & Garber, J. (1988). Cognitive therapy. In L. Y. Abramson (Ed.), *Social cognition and clinical psychology: A synthesis* (pp. 204–253). New York: Guilford Press.
- Horowitz, M. D., Wilner, N., & Alvarez, W. (1979). Impact of Event Scale: A measure of subjective stress. *Psychosomatic Medicine*, 41, 209–218.
- Ito, M., Kashimura, M., & Horikoshi, M. (2012). 伊藤正哉・榎村正美・堀越勝、2012、こころを癒すノート：トラウマの認知処理療法自習帳、創元社 (*The healing notebook for a wounded heart: Cognitive processing therapy workbook for trauma survivors*). Osaka, Japan: Sogensha.
- Iverson, K. M., Gradus, J. L., Resick, P. A., Suvak, M. K., Smith, K. F., & Monson, C. M. (2011). Cognitive-behavioral therapy for PTSD and depression symptoms reduces risk for future intimate partner violence among interpersonal trauma survivors. *Journal of Consulting and Clinical Psychology*, 79, 193–202.
- Iverson, K. M., King, M. W., Cunningham, K. C., & Resick, P. A. (2015). Rape survivors' trauma-related beliefs before and after cognitive processing therapy: Associations with PTSD and depression symptoms. *Behaviour Research and Therapy*, 66, 49–55.
- Janoff-Bulman, R. (1989). Assumptive worlds and the stress of traumatic events: Applications of the schema construct. *Social Cognition*, 7, 113–136.
- Janoff-Bulman, R. (1992). *Shattered assumptions: Towards a new psychology of trauma*. New York: Free Press.
- Jayawickreme, N., Cahill, S. P., Riggs, D. S., Rauch, S. A. M., Resick, P. A., Rothbaum, B. O., & Foa, E. B. (2014). Primum non nocere (first do no harm): Symptom worsening and improvement in female assault victims after prolonged exposure for PTSD. *Depression and Anxiety*, 31(5), 412–419.
- Johnson, S. B., Blum, R. W., & Giedd, J. N. (2009) Adolescent maturity and the brain: The promise and pitfalls of neuroscience research in adolescent health policy. *Journal of Adolescent Health*, 45, 216–221.
- Kaysen, D., Lindgren, K., Zangana, G. A. S., Murray, L., Bass, J., & Bolton, P. (2013). Adaptation of cognitive processing therapy for treatment of torture victims: Experience in Kurdistan, Iraq. *Psychological Trauma: Theory, Research, Practice, and Policy*, 5(2), 184–192.
- Kaysen, D., Lostutter, T. W., & Goines, M. A. (2005). Cognitive processing therapy for acute stress disorder resulting from an anti-gay assault. *Cognitive and Behavioral Practice*, 12(3), 278–289.
- Kaysen, D., Schumm, J., Petersen, E. R., Seim, R. W., Bedard-Gilligan, M., & Chard, K. (2014). Cognitive processing therapy for veterans with comorbid PTSD and alcohol use disorders. *Addictive Behaviors*, 39(2), 420–427.

- Kennerley, H. (1996). Cognitive therapy of dissociative symptoms associated with trauma. *British Journal of Clinical Psychology, 35*, 325–340.
- Kessler, R. C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C. B. (1995). Posttraumatic stress disorder in the National Comorbidity Survey. *Archives of General Psychiatry, 52*, 1048–1060.
- Kilpatrick, D. G., Resick, P. A., & Veronen, L. J. (1981). Effects of a rape experience: A longitudinal study. *Journal of Social Issues, 37*, 105–122.
- Kilpatrick, D. G., Veronen, L. J., & Resick, P. A. (1979). Assessment of the aftermath of rape: Changing patterns of fear. *Journal of Behavioral Assessment, 1*, 133–147.
- Kilpatrick, D. G., Veronen, L. J., & Resick, P. A. (1982). Psychological sequelae to rape: Assessment and treatment strategies. In D. M. Doleys, R. L. Meredith, & A. R. Ciminero (Eds.), *Behavioral medicine: Assessment and treatment strategies* (pp. 473–497). New York: Plenum Press.
- König, J., Resick, P. A., Karl, R., & Rosner, R. (2012). *Posttraumatische belastungsstörung: Ein manual zur cognitive processing therapy*. Gottingen, Germany: Hogrefe.
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine, 16*, 606–613.
- Lang, P. J. (1977). Imagery in therapy: An information processing analysis of fear. *Behavior Therapy, 8*, 862–886.
- Lejuez, C. W., Hopko, D. R., Acierno, R., Daughters, S. B., & Pagoto, S. L. (2011). Ten year revision of the brief behavioral activation treatment for depression: Revised treatment manual. *Behavior Modification, 35*, 111–161.
- Lejuez, C. W., Hopko, D. R., & Hopko, S. D. (2001). A brief behavioral activation treatment for depression: Treatment manual. *Behavior Modification, 25*, 255–286.
- Lerner, M. J. (1980). *The belief in a just world: A fundamental delusion*. New York: Plenum Press.
- Lester, K., Artz, C., Resick, P. A., & Young-Xu, Y. (2010). Impact of race on early treatment termination and outcomes in posttraumatic stress disorder treatment. *Journal of Consulting and Clinical Psychology, 78*(4), 480–489.
- Lewinsohn, P. M. (1974). Clinical and theoretical aspects of depression. In K. S. Calhoun, H. E. Adams, & K. M. Mitchell (Eds.), *Innovative treatment methods in psychopathology* (pp. 63–120). New York: Wiley.
- Liberzon, I., & Sripada, C. S. (2008). The functional neuroanatomy of PTSD: A critical review. *Progress in Brain Research, 167*, 151–169.
- Lloyd, D., Couineau, A.-L., Hawkins, K., Kartal, D., Nixon, R. D. V., & Forbes, D. P. (2015). Preliminary outcomes of implementing cognitive processing therapy for posttraumatic stress disorder across a national veterans' treatment service. *Journal of Clinical Psychiatry, 76*(11), e1405–e1409.
- Mahoney, M. J. (1981). Psychotherapy and the human change process. In J. H. Harvey & M. M. Parks (Eds.), *Psychotherapy research and behavior change* (pp. 73–122). Washington, DC: American Psychological Association.
- Mahoney, M. J., & Lyddon, W. J. (1988). Recent developments in cognitive approaches to counseling and psychotherapy. *Counseling Psychologist, 16*, 190–234.
- Maieritsch, K. P., Smith, T. L., Hessinger, J. D., Ahearn, E. P., Eickhoff, J. C., & Zhao, Q. (2016). Randomized controlled equivalence trial comparing videoconference and in person delivery of cognitive processing therapy for PTSD. *Journal of Telemedicine and Telecare, 22*(4), 238–243.
- Marques, L., Eustis, E. H., Dixon, L., Valentine, S. E., Borba, C. P. C., Simon, N., . . . Wiltsey-Stirman, S. (2016). Delivering cognitive processing therapy in a community health setting:

- The Influence of Latino culture and community violence on posttraumatic cognitions. *Psychological Trauma: Theory, Research, Practice, and Policy*, 8(1), 98–106.
- Matulis, S., Resick, P. A., Rosner, R., & Steil, R. (2014). Developmentally adapted cognitive processing therapy for adolescents suffering from posttraumatic stress disorder after childhood sexual or physical abuse: A pilot study. *Clinical Child Family Psychological Review*, 17, 173–190.
- McCann, I. L., & Pearlman, L. A. (1990). *Psychological trauma and the adult survivor: Theory, therapy, and transformation*. New York: Brunner/Mazel.
- McCann, I. L., Sakheim, D. K., & Abrahamson, D. J. (1988). Trauma and victimization: A model of psychological adaptation. *Counseling Psychologist*, 16, 531–594.
- Meichenbaum, D., & Cameron, R. (1983). Stress inoculation training: Toward a general paradigm for training coping skills. In D. Meichenbaum & M. E. Jare (Eds.), *Stress reduction and prevention* (pp. 115–154). New York: Plenum Press.
- Milad, M. R., Pitman, R. K., Ellis, C. B., Gold, A. L., Shin, L. M., Sasko, N. B., . . . Rauch, S. L. (2009). Neurobiological basis of failure to recall extinction memory in posttraumatic stress disorder. *Biological Psychiatry*, 66, 1075–1082.
- Mitchell, K. S., Wells, S. Y., Mendes, A., & Resick, P. A. (2012). Treatment improves symptoms shared by PTSD and disordered eating. *Journal of Traumatic Stress*, 25, 535–542.
- Monson, C. M., & Friedman, S. J. (2012). *Cognitive-behavioral conjoint therapy for PTSD: Harnessing the healing power of relationships*. New York: Guilford Press.
- Monson, C. M., Friedman, M. J., & La Bash, H. A. J. (2014). A psychological history of PTSD. In M. J. Friedman, T. M. Keane, & P. A. Resick (Eds.), *Handbook of PTSD: Science and practice* (2nd ed., pp. 60–78). New York: Guilford Press.
- Monson, C. M., Macdonald, A., Vorstenbosch, V., Shnaider, P., Goldstein, E. S. R., Ferrier-Auerbach, A. G., & Mocchiola, K. E. (2012). Changes in social adjustment with cognitive processing therapy: Effects of treatment and association with PTSD symptom change. *Journal of Traumatic Stress*, 25(5), 519–526.
- Monson, C. M., Rodriguez, B. F., & Warner, R. (2005). Cognitive-behavioral therapy for PTSD in the real world: Do interpersonal relationships make a real difference? *Journal of Clinical Psychology*, 61, 751–761.
- Monson, C. M. & Shnaider, P. (2014). *Treating PTSD with cognitive-behavioral therapies: Interventions that work*. Washington, DC: American Psychological Association.
- Monson, C. M., Schnurr, P. P., Resick, P. A., Friedman, M. J., Young-Xu, Y., & Stevens, S. P. (2006). Cognitive processing therapy for veterans with military-related posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 74(5), 898–907.
- Morland, L. A., Hynes, A. K., Mackintosh, M., Resick, P. A., & Chard, K. M. (2011). Group cognitive processing therapy delivered to veterans via telehealth: A pilot cohort. *Journal of Traumatic Stress*, 24(4), 465–469.
- Morland, L. A., Mackintosh, M. A., Rosen, C. S., Willis, E., Resick, P. A., Chard, K. M., & Frueh, B. C. (2015). Telemedicine versus in-person delivery of cognitive processing therapy for women with posttraumatic stress disorder: A randomized noninferiority trial. *Depression and Anxiety*, 32(11), 811–820.
- Mowrer, O. H. (1960). *Learning theory and behavior*. New York: Wiley.
- Nixon, R. D. (2012). Cognitive processing therapy versus supportive counseling for acute stress disorder following assault: A randomized pilot trial. *Behavior Therapy*, 43(4), 825–836.
- O'Donnell, M. L., Alkemade, N., Nickerson, A., Creamer, M., McFarlane, A. C., Silove, D., . . . Forbes, D. (2014). Impact of the diagnostic changes to post-traumatic stress disorder for DSM-5 and the proposed changes to ICD-11. *British Journal of Psychiatry*, 205(3), 230–235.
- Owens, G. P., Pike, J. L., & Chard, K. M. (2001). Treatment effects of cognitive processing

- therapy on cognitive distortions of female child sexual abuse survivors. *Behavior Therapy*, 32, 413–424.
- Padesky, C. A. (1996). *Guided discovery using Socratic dialogue*. Newport Beach, CA: Center for Cognitive Therapy.
- Paul, R., & Elder, E. (2006). *The thinker's guide to the art of Socratic questioning*. Dillon Beach, CA: Foundation for Critical Thinking Press.
- Paykel, E. S. (1974). Recent life events and clinical depression. In E. K. Gunderson & R. H. Babe (Eds.), *Life stress and illness*. Springfield, IL: Charles C Thomas.
- Piaget, J. (1971). *Psychology and epistemology; Towards a theory of knowledge*. New York: Viking Press.
- Price, J. L., MacDonald, H. Z., Adair, K. C., Koerner, N., & Monson, C. M. (2016). Changing beliefs about trauma: A qualitative study of cognitive processing therapy. *Behavioural and Cognitive Psychotherapy*, 44(2), 156–167.
- Price, M., Gros, D. F., Strachan, M., Ruggiero, K. J., & Acierno, R. (2013). The role of social support in exposure therapy for Operation Iraqi Freedom/Operation Enduring Freedom veterans: A preliminary investigation. *Psychological Trauma: Theory, Research, Practice, and Policy*, 5, 93–100.
- Pruiksma, K. E., Molino, A., Taylor, D. J., Resick, P. A., & Peterson, A. L. (2016). Case study of cognitive behavioral therapy for comorbid PTSD, insomnia, and nightmares. In C. Martin, V. R. Preedy, & V. B. Patel (Eds.), *Comprehensive guide to post-traumatic stress disorders* (pp. 2249–2258). New York: Springer.
- Pruiksma, K. E., Taylor, D. J., Wachen, J. S., Mintz, J., Young-McCaughan, S., Peterson, A., . . . STRONG STAR Consortium. (in press). Residual sleep disturbances following PTSD treatment active duty military personnel. *Psychological Trauma: Theory, Research, and Practice*.
- Rauch, S. L., Whalen, P. J., Shin, L. M., McInerney, S. C., Macklin, M. L., Lasko, N. B., . . . Pitman, R. K. (2000). Exaggerated amygdala response to masked facial stimuli in post-traumatic stress disorder: A functional MRI study. *Biological Psychiatry*, 47, 769–776.
- Resick, P. A. (2001). *Cognitive processing therapy: Generic version*. Unpublished manuscript, University of Missouri, Saint Louis, MO.
- Resick, P. A., Bovin, M. J., Calloway, A. L., Dick, A., King, M. W., Mitchell, K. S., . . . Wolf, E. J. (2012). A critical evaluation of the complex PTSD literature: Implications for DSM-5. *Journal of Traumatic Stress*, 25, 241–251.
- Resick, P. A., & Derby, D. S. (2012). *דוביע תרזעב תיטמוארט טסופ תנומסתב לופיט – מישדה מ'קפוא יבטינגוק* [New horizons: Treating post traumatic stress disorder using cognitive processing therapy]. Tel Aviv: Galil Press.
- Resick, P. A., Galovski, T. E., Uhlmansiek, M. O., Scher, C. D., Clum, G., & Young-Xu, Y. (2008). A randomized clinical trial to dismantle components of cognitive processing therapy for posttraumatic stress disorder in female victims of interpersonal violence. *Journal of Consulting and Clinical Psychology*, 76(2), 243–258.
- Resick, P. A., Jordan, C. G., Girelli, S. A., Hutter, C. K., & Marhofer-Dvorak, S. (1988). A comparative outcome study of group behavior therapy for sexual assault victims. *Behavior Therapy*, 19, 385–401.
- Resick, P. A., Monson, C. M., & Chard, K. M. (2007). *Cognitive processing therapy, veteran/military version: Therapist's manual*. Washington, DC: Department of Veterans Affairs. (Revised in 2008, 2010, 2014)
- Resick, P. A., Monson, C. M., & Rizvi, S. L. (2013). Posttraumatic stress disorder. In W. E. Craighead, D. J. Miklowitz, & L. W. Craighead (Eds.), *Psychopathology: History, diagnosis, and empirical foundations* (2nd ed., pp. 244–284). Hoboken, NJ: Wiley.
- Resick, P. A., Nishith, P., Weaver, T. L., Astin, M. C., & Feuer, C. A. (2002). A comparison of

- cognitive processing therapy, prolonged exposure and a waiting condition for the treatment of posttraumatic stress disorder in female rape victims. *Journal of Consulting and Clinical Psychology*, 70(4), 867–879.
- Resick, P. A., & Schnicke, M. K. (1992). Cognitive processing therapy for sexual assault victims. *Journal of Consulting and Clinical Psychology*, 60(5), 748–756.
- Resick, P. A., & Schnicke, M. K. (1993). *Cognitive processing therapy for rape victims: A treatment manual*. Newbury Park, CA: Sage.
- Resick, P. A., Schnicke, M. K., & Markway, B. G. (1991, November). *Personal Beliefs and Reactions Scale: The relation between cognitive content and posttraumatic stress disorder*. Paper presented at the 25th Annual Convention of the Association for Advancement of Behavior Therapy, New York.
- Resick, P. A., Suvak, M. K., Johnides, B. D., Mitchell, K. S., & Iverson, K. M. (2012). The impact of dissociation on PTSD treatment with cognitive processing therapy. *Depression and Anxiety*, 29(8), 718–730.
- Resick, P. A., Suvak, M. K., & Wells, S. Y. (2014). The impact of childhood abuse among women with assault-related PTSD receiving short-term cognitive-behavioral therapy. *Journal of Traumatic Stress*, 27, 558–567.
- Resick, P. A., Wachen, J. S., Mintz, J., Young-McCaughan, S., Roache, J. D., Borah, A. M., . . . Peterson, A. L. (2015). A randomized clinical trial of group cognitive processing therapy compared with group present-centered therapy for PTSD among active duty military personnel. *Journal of Consulting and Clinical Psychology*, 83(6), 1058–1068.
- Resick, P. A., Wachen, J. S., & Peterson, A. L. (in progress). *Variable length cognitive processing therapy for combat-related PTSD*. Grant funded by the Department of Defense (Nos. W81XWH-13-2-0012 and W81XWH-13-2-0014).
- Resick, P. A., Williams, L. F., Suvak, M. K., Monson, C. M., & Gradus, J. L. (2012). Long-term outcomes of cognitive-behavioral treatments for posttraumatic stress disorder among female rape survivors. *Journal of Consulting and Clinical Psychology*, 80(2), 201–210.
- Rutter, J. G., Friedberg, R. D., VandeCreek, L., & Jackson, T. L. (1999). *Innovations in clinical practice: A source book*. Sarasota, FL: Professional Resource Press.
- Schnurr, P. P., Friedman, M. J., Engel, C. C., Foa, E. B., Shea, T., Chow, B. K., . . . Bernardy, N. (2007). Cognitive-behavioral therapy for posttraumatic stress disorder in women: A randomized controlled trial. *Journal of the American Medical Association*, 297, 820–830.
- Schulz, P. M., Huber, L. C., & Resick, P. A. (2006). Practical adaptations of cognitive processing therapy with Bosnian refugees: Implications for adapting practice to a multicultural clientele. *Cognitive and Behavioral Practice*, 13(4), 310–321.
- Schulz, P. M., Resick, P. A., Huber, L. C., & Griffin, M. G. (2006). The effectiveness of cognitive processing therapy for PTSD with refugees in a community setting. *Cognitive and Behavioral Practice*, 13, 322–331.
- Schumm, J. A., Dickstein, B. D., Walter, K. H., Owens, G. P., & Chard, K. M. (2015). Changes in posttraumatic cognitions predict changes in posttraumatic stress disorder symptoms during cognitive processing therapy. *Journal of Consulting and Clinical Psychology*, 83, 1161–1166.
- Seligman, M. E. P. (1971). Phobias and preparedness. *Behavior Therapy*, 2, 307–321.
- Shalev, A. Y., Ankri, Y., Israeli-Shalev Y., Peleg, T., Adessky, R., & Freedman, S. (2012). Prevention of posttraumatic stress disorder by early treatment: Results from the Jerusalem trauma outreach and prevention study. *Archives of General Psychiatry*, 69, 166–176.
- Shin, L. M., Orr, S. P., Carson, M. A., Rauch, S. L., Macklin, M. L., Lasko, N. B., . . . Pitman, R. K. (2004). Regional cerebral blood flow in the amygdala and medial prefrontal cortex during traumatic imagery in male and female Vietnam veterans with PTSD. *Archives of General Psychiatry*, 61(2), 168–176.

- Shin, L. M., Rauch, S. L., & Pitman, R. K. (2006). Amygdala, medial prefrontal cortex, and hippocampal function in PTSD. *Annals of the New York Academy of Sciences*, *1071*, 67–79.
- Shin, L. M., Whalen, P. J., Pitman, R. K., Bush, G., Macklin, M. L., Lasko, N. B., . . . Rauch, S. L. (2001). An fMRI study of anterior cingulate function in posttraumatic stress disorder. *Biological Psychiatry*, *50*, 932–942.
- Shnaider, P., Vorrstenbosch, V., Macdonald, A., Wells, S. Y., Monson, C. M., & Resick, P. A. (2014). Associations between functioning and PTSD symptom clusters in a dismantling trial of cognitive processing therapy in female interpersonal violence survivors. *Journal of Traumatic Stress*, *27*, 526–534.
- Sobel, A. A., Resick, P. A., & Rabalais, A. E. (2009). The effect of cognitive processing therapy on cognitions: Impact Statement coding. *Journal of Traumatic Stress*, *22*, 205–211.
- Stein, D. J., Koenen, K. C., Friedman, M. J., Hill, E., McLaughlin, K. A., Petukhova, M., . . . Kessler, R. C. (2013). Dissociation in posttraumatic stress disorder: Evidence from the World Mental Health Surveys. *Biological Psychiatry*, *73*, 302–312.
- Suris, A., Link-Malcolm, J., Chard, K., Ahn, C., & North, C. (2013). A randomized clinical trial of cognitive processing therapy for veterans with PTSD related to military sexual trauma. *Journal of Traumatic Stress*, *26*(1), 28–37.
- Tarrier, N., Sommerfield, C., & Pilgrim, H. (1999). Relatives' expressed emotion (EE) and PTSD treatment outcome. *Psychological Medicine*, *29*, 801–811.
- Taylor, D. J., & Pruiksma, K. E. (2014). Cognitive and behavioural therapy for insomnia (CBT-I) in psychiatric populations: A systematic review. *International Review of Psychiatry*, *26*, 205–213.
- Thase, M. E., & Beck, A. T. (1993). An overview of cognitive therapy. In J. H. Wright, M. E. Thase, A. T. Beck, & J. W. Ludgate (Eds.), *Cognitive therapy with inpatients: Developing a cognitive milieu* (pp. 3–34). New York: Guilford Press.
- Thrasher, S., Power, M., Morant, N., Marks, I., & Dalgleish, T. (2010). Social support moderates outcomes in a randomized controlled trial of exposure therapy and (or) cognitive restructuring for chronic posttraumatic stress disorder. *Canadian Journal of Psychiatry / Revue Canadienne de Psychiatrie*, *55*, 187–190.
- Voelkel, E., Pukay-Martin, N. D., Walter, K. H., & Chard, K. M. (2015). Effectiveness of cognitive processing therapy for male and female U.S. veterans with and without military sexual trauma. *Journal of Traumatic Stress*, *28*, 174–182.
- Wachen, J. S., Dondanville, K. A., Pruiksma, K. A., Molino, A., Carson, C. S., Blankenship, A. E., . . . Resick, P. A. (2016). Implementing cognitive processing therapy for posttraumatic stress disorder with active duty U.S. military personnel: Special considerations and case examples. *Cognitive and Behavioral Practice*, *23*(2), 133–147.
- Wachen, J. S., Jimenez, S., Smith, K., & Resick, P. A. (2014). Long-term functional outcomes of women receiving cognitive processing therapy and prolonged exposure. *Psychological Trauma: Theory, Research, Practice and Policy*, *27*, 526–534.
- Walter, K. H., Bolte, T. A., Owens, G. P., & Chard, K. M. (2012). The impact of personality disorders on treatment outcome for veterans in a posttraumatic stress disorder residential treatment program. *Cognitive Therapy and Research*, *36*, 576–584.
- Walter, K. H., Buckley, A. B., Simpson, J. M., & Chard, K. M. (2014). Residential PTSD treatment for female veterans with military sexual trauma: Does a history of childhood sexual abuse influence outcome? *Journal of Interpersonal Violence*, *6*, 971–986.
- Walter, K. H., Dickstein, B. D., Barnes, S. M., & Chard, K. M. (2014). Comparing effectiveness of CPT to CPT-C among U.S. veterans in an interdisciplinary residential PTSD/TBI treatment program. *Journal of Traumatic Stress*, *27*, 438–445.
- Watts, B. V., Schnurr, P. P., Mayo, L., Young-Xu, Y., Weeks, W. B., & Friedman, M. J. (2013).

- Meta-analysis of the efficacy of treatments for posttraumatic stress disorder. *Journal of Clinical Psychiatry*, 74, 541–550.
- Weathers, F. W., Litz, B. T., Herman, D. S., Huska, J. A., & Keane, T. M. (1993, October). *The PTSD Checklist (PCL): Reliability, validity, and diagnostic utility*. Paper presented at the the International Society for Traumatic Stress Studies, San Antonio, TX.
- Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). *The PTSD Checklist for DSM-5 (PCL-5)*. Available from the National Center for PTSD at www.ptsd.va.gov
- Weathers, F. W., Marx, B. P., Friedman, M. J., & Schnurr, P. P. (2014). Posttraumatic stress disorder in DSM-5: New criteria, new measures, and implications for assessment. *Psychological Injury and Law*, 7, 93–107.
- Weissman, M. M., & Paykel, C. S. (1974). *The depressed woman: A study of social relationships*. Chicago: University of Chicago Press.
- World Health Organization. (1992). *ICD-10 classifications of mental and behavioural disorders: Clinical descriptions and diagnostic guidelines*. Geneva: Author.
- Wright, J. H., Basco, M. R., & Thase, M. E. (2006). *Learning cognitive behavioral therapy: An illustrated guide*. Washington, DC: American Psychiatric Publishing.
- Ylikomi, R., & Virta, V. (2008). *Raiskaustrauman Hoito: Opas CPT-Menetelmän Käyttöön*. Jyväskylä, Finland: PS-Kustannus.